

Index

Page references to figures and tables are printed in boldface type.

- A3. See composition, A3**
- abatis, 3-2, 3-6, 3-7. See also charge(s), abatis**
 placement of, 3-7
 special considerations for, 3-7
- abutment(s), 1-8, 3-15, 4-7, 4-24 through 4-25**
 5 feet thick or less, 4-24, **4-25**
 over 5 feet thick, 4-24, **4-25**
 over 20 feet high, 4-24
 wing walls, 4-24
- adhesive paste, 1-18**
- aerial bomb, C-1**
 charges for, C-3
 general purpose, C-3
 priming of, C-3
 safety precautions for, C-1
- amatol, 1-3**
- ammonium nitrate, 1-1, 1-3, 1-7, 1-8, 2-19, 3-25.**
See also charge(s) ammonium-nitrate
 block demolition charge. *See charge(s), block demolition, ammonium nitrate*
 satchel charge. *See charge(s), ammonium-nitrate satchel*
- angled attack. See attack(s), angled**
- arch bridge. See bridge, arch**
- attack(s)**
 angled, 4-14, **H-3 through H-5**
 location of charges, 4-14
 bottom, 4-5, 4-14, **H-3 through H-6**
 calculations for, **A-12**
 minimum E_R values, **H-1**
 three-pin arch effect, 4-5
 bridge, 4-8, 4-19
 for continuous bridges, 4-14, **4-15**
 for miscellaneous bridges, 4-20
 for simply supported bridges, **4-10**
 guidelines for, 4-8
 minimum L_c values, **4-20**
 with demolitions, H-1 through H-11
- line of, 4-13
 on simply supported bridges, **H-3 through H-6**
 on continuous bridges, **H-7 through H-11**
 methods, 4-14
 top, 4-6, 4-14, **H-3 through H-6**
 cranked-beam effect, 4-6
 calculations for, **A-13**
 minimum L_c values, **H-2**
- artillery shells (nonnuclear)**
 charges, C-3
 priming of, C-3
 safety precautions for, C-3
- B4. See composition, B4**
- Bailey bridge. See bridge, Bailey**
- Bangalore torpedo. See also M1A2**
Bangalore-torpedo demolition kit
 priming
 electric, 2-22
 nonelectric, 2-21
 with blasting cap, 2-22
 with detonating cord, 2-22
- barriers, 5-1**
- batteries and dry cells, E-4**
- beam collapse mechanism. See collapse mechanism, beam**
- black powder, 1-3, 1-13**
- blast(ing)**
 cap, 1-7, 1-15, 2-3, **2-4**, 2-12, 6-1
 attaching, 2-25
 to detonating cord, **2-25**
 to line main, 2-27, **2-28**
 electric, **1-16**, 2-7, 2-9, 6-2, 6-10, 6-11, E-1
 holder, **1-16**, **1-17**
 nonelectric, 6-2, 6-5
 preparing, 2-2
 safety of, 6-1
 test set, **1-19**, 2-5
 characteristics of, 1-19
 maintenance of, 1-19
 use of, 1-19

- effects, 6-4
- machine(s), 2-5, 2-6, 2-10, 6-1
 - determining circuit capacity of, E-3
 - M32, 10-cap, 1-20
 - M34, 50-cap, 1-20
- safe distances
 - for personnel, 6-6, 6-7
 - near RF energy, 6-5
- blasting cap. *See* **blast(ing), cap**
- blasting machine. *See* **blast(ing), machines**
- block demolition charge. *See* **demolition(s), charges, block**
- block-hole method. *See* **boulder removal, block-hole method**
- borehole(s), 3-23 through 3-25, D-4
 - characteristics made by shaped charges, 1-10
 - layout of, 3-30
 - safety of, 6-4
- bottom attack. *See* **attack(s), bottom**
- boulder blasting/removal, 3-38, 3-29
 - block-hole method of, 3-29
 - charges, 3-29
 - mud-cap method of, 3-29
 - snake-hole method of, 3-28, 3-29
- bowstring bridge. *See* **bridge, bowstring**
- bowstring-reinforced truss bridge. *See* **bridge, bowstring-reinforced truss**
- branch line(s), 1-17, 2-26, 2-27
- breaching, 1-4, 1-6, 1-11. *See also* **charge(s), breaching**
 - conversion factors for, 3-19
 - formula, 3-15
 - of hard-surfaced pavements, 3-21
 - of other materials, 3-18
 - of reinforced concrete, 3-17, 3-18
 - radius (*R*), 3-17, B-3
- bridge. *See also* **demolition(s), bridge**
 - arch, 4-12, 4-18
 - attack calculations, A-14
 - attacks. *See* **attack(s), bridge**
 - Bailey
 - demolition of, 4-23
 - bowstring, 4-11, 4-12
 - bowstring-reinforced truss, 4-12
 - cantilever, 4-15, 4-16
 - categories, 4-2
 - continuous, 4-2, 4-15
 - miscellaneous, 4-2
 - simply supported, 4-2, 4-10
 - concrete, 4-11
 - continuous, 4-2, 4-8, 4-14, 4-21, H-7
 - through H-11
 - categorizing, 4-14, 4-15
 - measurements of, 4-19
 - double-leaf bascule, 4-22
 - floating, 4-23
 - masonry arch, 4-18
 - miscellaneous, 4-2, 4-20
 - portal, 4-17
 - simply supported, 4-2, 4-8, 4-13, H-3
 - through H-6
 - calculating concrete-stripping charge, 4-7
 - categorizing, 4-10
 - single-leaf bascule, 4-22
 - steel-beam, 4-10
 - with short side span, 4-17
 - without short side span, 4-16
 - steel-truss, 4-11
 - with short side span, 4-17
 - suspended span, 4-15, 4-16
 - suspension-span, 4-20
 - swing-span truss, 4-21
 - vertical-lift, 4-22
- C4. *See* **composition, C4**
- cantilever bridge. *See* **bridge, cantilever**
- cap
 - blasting. *See also* **blast(ing), cap**
 - crimper, 1-18, 1-19
- charge(s). *See also* **demolition(s), charges**
 - abatis, B-2
 - ammonium-nitrate
 - priming of, 2-19, 2-20
 - ammonium-nitrate satchel, D-5
 - preparation of, D-5
 - use of, D-5
 - breaching, 1-1, 1-6, 4-24, B-3. *See also* **breaching**
 - computation of, 3-15, A-8
 - critical factors of, 3-15
 - for reinforced concrete, 3-17, 3-18
 - material factor of, 3-16
 - metric, B-4
 - tamping factor of, 3-16
 - thickness of, 3-20
 - calculation(s) of, 3-1, 3-2, 3-3
 - desired demolition effect, 3-2
 - direction of initiation, 3-3
 - method of tamping, 3-2
 - placement of charge, 3-2
 - size of charge, 3-2

- target
 - configuration of, 3-2
 - factors, 3-8
 - shape of, 3-2
 - size of, 3-2
 - strength of materials in, 3-2
 - type of materials in, 3-2
 - type of explosive, 3-2
- concrete-stripping, 4-7, 4-14
- charge calculations for simply supported bridges, 4-7
- description of, 4-7
- counterforce, 3-20
 - calculation of, 3-20, A-8
 - placement of, 3-21
 - priming of, 3-21
 - use of, 3-20
- cratering, 3-21
 - calculation of, A-9
 - confinement of, 3-21
 - explosives, 3-21
 - size of, 3-21
- diamond, 3-14, 3-15
 - dimensions of, 3-14
 - placement of, 3-15
 - priming of, 3-15
- dimensions, 3-1
- ditching, 3-21
 - confinement of, 3-21
 - explosives, 3-21
 - size of, 3-21
- dual-primed, 2-24
- dust initiator, D-3
 - charge computations for, D-3
 - detonation of, D-4
 - fabrication of, D-4
- examples
 - application of, A-1
 - attack, A-12 through A-14
 - charge, A-1 through A-9
 - demolition, A-10 through A-11
- expedient flame fougasse, D-5, D-6
 - function of, D-7
 - preparation of, D-6
- external, 3-2, 3-5, 4-26
- forty-pound ammonium nitrate, 1-8
 - advantages of, 1-8
 - characteristics of, 1-7
 - limitations of, 1-8
 - priming of, 2-19, 2-20
 - use of, 1-8
- grapeshot, D-2, D-3
 - charge size of, D-3
 - fabrication of, D-3
- improvised cratering, D-4
- internal, 3-2, 3-4, 4-26
- kicker, 3-5
- land-clearing, 3-28
 - boulder removal, 3-28, 3-29
 - quarrying, 3-30
 - stump removal, 3-28, 3-29
- normal cutting, 3-4
- number of, 3-19
- placement of, 3-1, 3-2, 3-19, F-2, F-3
 - for deliberate road crater, 3-23
 - for hasty road crater, 3-22
 - on Armored Fighting Vehicles (AFVs), 3-33
 - significance of, 3-2
- platter, D-2
 - charge size, D-2
 - fabrication of, D-2
- pressure
 - for T-beams, B-3
- primary, C-1
- principles of, 3-1
 - effects of detonation, 3-1
 - significance of charge dimensions, 3-1
 - significance of charge placement, 3-2
- ribbon, 3-12, 3-13
 - length of, 3-12
 - placement of on structural steel, 3-13
 - thickness of, 3-12
 - width of, 3-12
- ring, 3-6
 - timber-cutting, 3-6
- saddle, 3-13, 3-14
 - detonation of, 3-14
 - dimensions of, 3-14
 - placement of, 3-14
- satchel, 1-11
 - selection of, 3-3
- special applications, 3-30
- special cutting
 - purpose of, 3-12
- springing, 3-29
- steel-cutting, 3-8, 3-10, A-3
 - explosives factors, 3-8
 - formulas, B-2
 - structural steel, B-2
 - other steel, B-2
 - metric weight of TNT, B-3
- hasty, A-4
- high-carbon steel, A-7
- I-beam, A-6
- steel bar, A-7
- steel plate, A-5
- supplementary, C-1
- timber-cutting, 3-4 through 3-7, 3-8
- abatis, 3-6 3-7
 - external, 3-5, A-2
 - untamped, B-2

- formulas, B-1
 - internal, 3-4, 3-5, A-1
 - tamped, B-2
 - ring charge, 3-6
 - types of, 3-2
 - underwater, 3-6, 3-7
- circuit resistance, E-1
- collapse mechanism
 - beam, 4-4
 - see-saw, 4-4, 4-19
 - unsupported-member, 4-4, 4-19
- command post, 5-4
- commercial explosives. *See* **explosive(s), commercial**
- common series circuit, 2-10
- composition
 - A3 (A3), 1-3
 - B, 1-3
 - B4 (B4), 1-3
 - C4 (C4), 1-3, 2-13, 3-5, 3-9, 3-11, 3-12, 3-17, 3-18, 4-26
- concrete bridge. *See* **bridge, concrete**
- concrete-stripping charge. *See* **charge(s), concrete-stripping**
- continuous bridge. *See* **bridge, continuous**
- cook off, 6-1
- counterforce charge. *See* **charge(s), counterforce**
- crater(s). *See also* **charge(s), cratering**
 - as culverts, 3-26
 - as antitank ditches, 3-26
 - deliberate, 3-23
 - placing charges for, 3-23
 - hasty, 3-22
 - boreholes, 3-22
 - charge size, 3-22
 - firing system, 3-23
 - placing charges for, 3-22
 - tamping, 3-23
 - in ice, 3-25
 - boreholes, 3-25
 - craters, 3-25
 - in permafrost, 3-25
 - boreholes, 3-25
 - explosives, 3-25
 - making vehicle obstacles, 3-26
 - relieved-face, 3-23, 3-24
- cyclonite, 1-2
- cyclotrimethylenetrinitramine (RDX), 1-2
- DA Form 2203-R. *See* **reconnaissance, record**
- debris, 4-1
 - use of, 4-1
- deformation, 3-1
- deliberate road crater. *See* **crater(s), road, deliberate**
- denial operations, 5-1
- demolition(s). *See also* **reconnaissance, orders and reconnaissance, record**
 - accessories, 1-13, G-3
 - bridge
 - attacks with, H-1 through H-11
 - degree of destruction with, 4-1
 - purpose of, 4-1
 - unsuccessful, 4-4
 - calculations, 3-1
 - beam-and-slab bridge, A-10
 - charge assembly, 1-11
 - characteristics of, 1-11
 - detonation of, 1-11
 - use of, 1-11
 - charges, 1-2, 1-18, 5-3, 6-13
 - block, 1-4 through 1-7, 1-5, 1-6
 - calculation of, 3-1
 - improvised shaped, D-1
 - M112 block, charge, 1-6, 3-12
 - advantages of, 1-6
 - characteristics of, 1-6
 - limitations of, 1-6
 - priming of, 2-13 through 2-15
 - use of, 1-6
 - M118 block, charge, 1-6, 3-12
 - advantages of, 1-7
 - characteristics of, 1-6
 - limitations of, 1-7
 - priming of, 2-15
 - use of, 1-6
 - M186 roll, charge, 1-7, 3-12
 - advantages of, 1-8
 - characteristics of, 1-7
 - limitations of, 1-7
 - priming of, 2-15
 - use of, 1-17
 - metric equivalent, B-1
 - placement of, 3-1
 - service, 1-4
 - shaped, 1-9, 2-20, 3-21
 - characteristics of, 1-9
 - description of, D-1
 - fabrication of, D-1
 - M2A4, 1-9, 2-20
 - M3A1, 1-9, 2-20
 - priming, 2-20 through 2-21

- special precautions for, 1-10
 - use of, 1-10
 - sources of
 - primary charges, C-1
 - supplementary charges, C-1
 - special, and assemblies, 1-9
 - supplementary adhesive for, 1-18
 - TNT block, 1-5
 - advantages of, 1-5
 - characteristics of, 1-5
 - limitations of, 1-5
 - priming of, 2-11 through 2-13
 - use of, 1-5
 - equipment set, 1-22
 - expedient, D-1 through D-7
 - techniques, D-1
 - kit, 1-13. *See also* M1A2 Bangalore-torpedo
 - demolition kit**
 - characteristics of, 1-12
 - detonation of, 1-13
 - use of, 1-13
 - material(s), 1-1, G-1 through G-9
 - methods, 4-6, 4-21
 - military, 5-2
 - obstacles, 5-1
 - operations, 5-1
 - orders, 5-2, F-4 through F-8
 - placement of charges, 3-1, 3-19, F-2, F-3
 - planning, 5-1
 - platter, D-2
 - preliminary
 - advantages of, 5-2
 - progressive preparation of, 5-2
 - purpose of, 5-2
 - pressure charge. *See* charge(s), demolition
 - pressure**
 - principles of, 3-1
 - reconnaissance, 5-5
 - orders, 5-5
 - record, 5-6
 - reserved
 - command and control of, 5-4
 - considerations for, 5-2
 - purpose of, 5-2
 - responsibilities for, 5-3
 - states of readiness of, 5-3
 - safety
 - considerations for, 6-1
- destruction
 - degree of, 4-1
 - of equipment, 3-31
 - guns, 3-31
 - vehicles, 3-32, 3-33
 - of military explosives
 - concept of, 6-13
 - methods for, 6-13
 - site selection, 6-13
 - stages of, 4-2
 - minimum conditions for, 4-3
- detonating cord, 1-14, 1-15, 2-25, 6-10
 - branch line, 2-26
 - characteristics of, 1-14
 - clip, 1-17
 - branch lines, 1-17
 - splices, 1-18
 - connections for, 2-25
 - line main, 2-27
 - precautions for, 1-15
 - priming of, 2-11, 2-13, 2-14, 2-15, 2-18, 2-22, 6-10
 - ring main, 2-26
 - safety of, 6-3
 - use of, 1-15
 - wick, D-4, D-5
- diamond charge. *See* charge(s), diamond
- direction of initiation, 3-3
- ditching. *See also* charge(s), ditching
 - methods
 - cross-section, 3-27
 - single-line, 3-26, 3-27
- domestic explosives. *See* explosive(s), domestic
- double-leaf bascule bridge. *See* bridge, double-leaf bascule
- dust initiator charge. *See* charge(s), dust initiator
- dynamite
 - M1 military, 1-4, 1-8
 - advantages of, 1-8
 - characteristics of, 1-8
 - limitations of, 1-8
 - use of, 1-8
 - priming of
 - electric, 2-18, 2-19
 - nonelectric 2-16
 - end, 2-17
 - side, 2-18
 - with detonating cord, 2-18, 2-19
 - standard, 1-4
- electric blasting cap. *See* blast(ing), cap, electric
- electric power formula, E-1
- end-priming method, 2-16, 2-17
- EOD. *See* explosives ordnance disposal

expedient. *See also* **demolition(s), expedient techniques**, D-1

expedient flame fougasse. *See* **charge(s), expedient flame fougasse**

explosive(s), 1-2

antitank mine, C-2

commercial

safety of, 6-3

domestic

amatol, 1-3

ammonium nitrate, 1-1

black powder, 1-3

composition A3, 1-3

composition B, 1-3

composition B4, 1-3

composition C4, 1-3

cyclonite (RDX), 1-2

dynamite, 1-4

nitroglycerin, 1-3

pentaerythrite tetranitrate (PETN), 1-1

pentolite, 1-3

tetrytol, 1-3

trinitrotulene (TNT), 1-3

equivalent metric weights for standard, B-1

foreign

composition of, 1-4

priming of, C-4

safety precautions for, C-4

use of, 1-4

identification of, G-1

materials

safety of, 6-1

military, 1-1, 1-3, 3-21, 6-10

characteristics of, 1-1

destruction of, 6-13

plastic

priming of, 2-14

safety of, 6-3

selection of, 1-1

sheet, 1-6, 2-16, 3-12

safety of, 6-3

explosives ordnance disposal (EOD), 6-13

external charge. *See* **charge(s), external**

firing

device(s), 1-21, G-1

point, 5-4

system(s), 2-23 through 2-28, 3-24, F-2

dual, 2-23, 2-24

dual-initiated, singled-fired, single-primed, 2-23

dual-installed, dual-fixed, dual-primed, 2-24

single, 2-23

single-initiated, single-fired, single-primed, 2-23

wire, 1-20, 2-6, 2-7, 2-9, E-1

-wire reel, 1-21

floating bridge. *See* **bridge, floating**

foreign explosives. *See* **explosive(s), foreign**

forty-pound ammonium nitrate. *See* **charge(s), forty-pound ammonium nitrate**

fuse

safety, 1-14

time, 1-14, 2-2, 2-5, 6-3

time blasting, 1-13

fuze igniter, 1-21, 1-22, 2-2

GEMSS. *See* **Ground Emplaced Mine Scattering System (GMESS)**

girth hitch, 2-26

grapeshot charge. *See* **charge(s), grapeshot**

Ground Emplaced Mine Scattering System (GEMSS), G-4

hasty road crater. *See* **crater(s), road, hasty**

hasty timber calculations. *See* **timber, hasty calculations**

hygroscopic, 1-1, 1-3, 1-8, 2-20

ice, 3-25

improvised cratering charge. *See* **charge(s), improvised cratering**

induced currents, 6-4

initiation sets

electric, 2-5

circuit initiation, 2-9

components assembly, 2-5

preparation sequence, 2-5

series circuits, 2-10

splicing electric wires, 2-9

nonelectric, 2-1

components assembly, 2-1

fuse initiation, 2-4

preparation sequence, 2-1

intermediate supports, 4-26

external charges on, 4-26

- internal charges on, 4-26
- placing charges on, 4-26
- internal charge. *See* **charge(s), internal**
- jamming, 4-3, 4-10, 4-13
 - bridge span, 4-3
 - causes of, 4-5
- junction box, 2-28
- kicker charge. *See* **charge(s), kicker**
- land-clearing charge. *See* **charge(s), land-clearing**
- land mines
 - charges for, C-1
 - priming of, C-1
 - safety precautions for, C-1
- lightning, 6-4
- line main, 2-27
- M1
 - adhesive paste, 1-18
 - detonating-cord clip, 1-17
 - branch lines, 1-17
 - splices, 1-18
 - military dynamite, 1-4, 1-8
- M112 block demolition charge, 1-6, 3-12
 - advantages of, 1-6
 - characteristics of, 1-6
 - limitations of, 1-6
 - priming of, 2-13 through 2-15
 - use of, 1-6
- M118 block demolition charge, 1-6, 3-12
 - advantages of, 1-7
 - characteristics of, 1-6
 - limitations of, 1-7
 - priming of, 2-15 through 2-16
 - use of, 1-6
- M180 demolition kit (cratering), 1-13
 - characteristics of, 1-12
 - detonation of, 1-13
 - use of, 1-13
- M183 demolition charge assembly, 1-11
 - characteristics of, 1-11
 - detonation of, 1-11
 - use of, 1-11
- M186 roll demolition charge, 1-7
 - advantages of, 1-7
 - characteristics of, 1-7
 - limitations of, 1-7
 - priming of, 2-15 through 2-16
 - use of, 1-7
- M1A2 Bangalore-torpedo demolition kit, 1-12
 - assembly of, 1-12
 - characteristics of, 1-11
 - detonation of, 1-12
 - use of, 1-12
- M1A4 priming adapter, 1-16, 1-17, 2-2
- M2 cap crimper, 1-18, 1-19
- M2A4 shaped charge
 - priming of, 2-20, 2-21
- M3A1 shaped charge
 - priming of, 2-20, 2-21
- M32 10-cap blasting machine, 1-20
- M34 50-cap blasting machine, 1-20
- M51 blasting-cap test set, 1-19
 - characteristics of, 1-19
 - maintenance of, 1-19
 - use of, 1-19
- M60 weatherproof fuze igniter, 1-21, 1-22, 2-4
- M700 time fuse, 1-14
- M8 blasting cap holder, 1-17
- masonry arch bridge. *See* **bridge, masonry arch**
- material factor (*K*), 3-16, 3-17
 - for breaching charges (metric), B-4
- metric charge calculations, B-1
- military demolitions. *See* **demolition(s), military**
- military dynamite. *See* **dynamite, military**
- military explosives. *See* **explosives(s), military**
- miscellaneous bridge. *See* **bridge, miscellaneous**
- misfire
 - electric, 6-9
 - causes of, 6-9
 - clearing procedure for, 6-9
 - prevention of, 6-9
 - detonating-cord, 6-10
 - priming, 6-10
 - nonelectric
 - causes of, 6-8
 - clearing procedure for, 6-8

- prevention of, 3-25, 6-8
- procedures, 6-8
- missile hazards, 6-5
- mud-cap method. *See* **boulder removal, mud-cap method**
- nitroglycerin, 6-4
- nonelectric blasting cap. *See* **blast(ing), cap, nonelectric**
- normal cutting charge. *See* **charge(s), normal cutting**
- obstacle folder, 5-4, 5-6, F-1, F-8 through F-37
 - contents of, 5-7
 - language of, 5-6
 - purpose of, 5-6
 - special instructions for, 5-7
- Ohm's Law, E-1, E-3
- pentaerythrite tetranitrate (PETN), 1-1
- pentolite, 1-3
- permafrost, 3-25
- PETN. *See* **pentaerythrite tetranitrate (PETN)**
- picric acid, 6-3
- plastic explosives. *See* **explosive(s), plastic and priming, plastic, explosives**
- platter charge. *See* **charge(s), platter**
- pneumatic floats, 4-23
- portal bridge. *See* **bridge, portal**
- power source capacities, E-4
- preliminary demolition. *See* **demolition(s), preliminary**
- pressure charges. *See* **charge(s), pressure**
- pressure-sensitive adhesive tape, 1-18
 - characteristics of, 1-18
 - limitations of, 1-18
 - uses of, 1-18
- primary charge. *See* **charge(s), primary**
- primary demolition. *See* **demolition(s), primary**
- priming, 2-11 through 2-22, F-3. *See also* **detonating cord, priming; end-priming method; and side-priming method**
 - adapter, 1-17, 2-2
 - ammonium nitrate cratering charge, 2-19, 2-20
 - Bangalore torpedo
 - electric, 2-22
 - nonelectric, 2-21
 - with blasting cap, 2-22
 - with detonating cord, 2-22
 - dynamite, 2-16
 - electric, 2-18, 2-19
 - nonelectric, 2-16, 2-17, 2-18
 - with detonating cord, 2-18, 2-19
 - electric, 2-11, 2-12, 2-18, 2-20, 2-22
 - with adaptor, 2-12
 - without adaptor, 2-12
 - forty-pound, ammonium nitrate cratering charges, 2-19, 2-20
 - M112 (C4) demolition blocks
 - electric, 2-13
 - nonelectric, 2-13
 - with detonating cord, 2-14
 - M118 explosives
 - electric, 2-15
 - nonelectric, 2-15
 - with detonating cord, 2-15
 - M186 explosives
 - electric, 2-15
 - nonelectric, 2-15
 - with detonating cord, 2-15
 - M2A4 shaped charges, 2-20, 2-21
 - M3A1 shaped charges, 2-20, 2-21
 - methods of, 2-11
 - nonelectric, 2-11, 2-20, 2-21
 - end, 2-17
 - side, 2-18
 - with adaptor, 2-11
 - without adaptor, 2-11
 - plastic explosives, 2-14
 - shaped charges, 2-20, 2-21
 - sheet explosives, 2-16
 - TNT, 2-11, 2-12, 2-13
 - TNT demolition blocks
 - electric, 2-12
 - nonelectric, 2-11
 - with detonating cord, 2-13
- quarrying, 3-30
- radial cracks (cracking), 3-1
- range safety. *See* **safety, range**
- RDX. *See* **cyclotrimethylenetrinitramine (RDX)**

- reconnaissance
 orders, 5-5
 record, 5-6, F-1, F-38 through F-42
 purpose of, 5-6
 information required, 5-6
- relieved-face road crater. *See* crater(s), road, relieved-face
- reserved demolition. *See* demolition, reserved
- resistance. *See also* circuit resistance in copper wire, E-2
- ribbon charge. *See* charge(s), ribbon
- ring charge. *See* charge(s), ring
- ring main, 2-26, 2-27
- saddle charge. *See* charge(s), saddle
- safety
 demolition, 6-1
 distance, 6-5, 6-6, 6-7
 storage
 magazines, 6-12
 temporary storage, 6-12
- safety fuse. *See* fuse, safety
- satchel charge. *See* charge(s), satchel
- see-saw collapse mechanism. *See* collapse mechanism, see-saw
- series
 circuits, 2-8, E-1
 calculations, E-2
 common, 2-10
 leapfrog, 2-11
 firing circuits
 power requirements for, E-1
- service demolition charge. *See* demolition(s), charges, service
- shaped demolition charge. *See* demolition(s), charges, shaped and priming, shaped charges
- sheet explosive. *See* explosive(s), sheet and priming, sheet explosives
- side-priming method, 2-17, 2-18, 2-19
- simply supported bridge. *See* bridge, simply supported
- single-hole bascule bridge. *See* bridge, single-leaf bascule
- snake-hole method, *See* boulder removal, snake-hole method
- spall(ing), 3-1, 3-20, 4-7
- span
 differences, 4-9
 measurements of simply supported, 4-13
- special cutting charges. *See* charge(s), special, cutting
- special demolition charges and assemblies. *See* demolition(s), charges, special, and assemblies
- splice(s), 1-18
 two-wire, 2-10
 Western Union pigtail, 2-8
- splicing
 electric wires, 2-9
- springing charge. *See* charge(s), springing
- square-knot connections, 2-25
- standard dynamite, 1-4
- States of Readiness
 1 (Safe), 5-3
 2 (Armed), 5-3
- static electricity, 6-4
- steel-beam bridge. *See* bridge, steel-beam
- steel-cutting charge. *See* charge(s), steel-cutting
- steel-truss bridge. *See* bridge, steel-truss
- stemming, 3-2
- storage safety. *See* safety, storage
- stress-wave method. *See* charge(s), diamond
- stump(s) removal, 3-28
 laterally rooted, 3-28
 taprooted, 3-28
- supplementary charges, *See* charge(s), supplementary
- supplementary adhesive, 1-18
 characteristics of, 1-18
 uses of, 1-18
- survivability positions, 3-30
 charge size for, 3-31
 concealment of, 3-31
 depth of, 3-30
 spacing of, 3-30
- suspended span bridge. *See* bridge, suspended span

- suspension-span bridge. *See* **bridge, suspension-span**
- swing-span truss bridge. *See* **bridge, swing-span truss**

- tamping, 4-8
 - factor (C), 3-16, 3-17
 - material, 3-2
 - method of, 3-2
- target
 - calculating charges for, 3-2
 - folder, F-1, F-4 through F-37
- tetryl, 1-3
- tetrytol, 1-3
- timber
 - hasty, calculations, 3-7
 - cutting charges. *See* **charge(s), timber-cutting**
- time blasting fuse. *See* **fuse, time blasting**
- time fuse. *See* **fuse, time**
- TNT. *See* **trinitrotoluene (TNT)**
- top attack. *See* **attack(s), top**
- toxicity, 6-4
- transportation
 - regulations, 6-10
 - safety procedures for, 6-10
- trinitrotoluene (TNT), 1-3
 - block demolition charge. *See* **demolition(s), charges, TNT block and priming, TNT demolition blocks**
 - priming of, 2-13

- underwater
 - charge. *See* **charge(s), underwater**
 - operations
 - detonating cord, 6-5
 - explosives in, 6-5
 - M60 fuze igniter, 6-6
 - nonelectric caps, 6-5
 - time fuse, 6-5
- unsupported-member collapse mechanism. *See* **collapse mechanism, unsupported member**

- vehicle obstacles, 3-26

- vertical-lift bridge. *See* **bridge, vertical-lift**
- voltage drop, E-3

- waterproof sealing compound, 1-18
- Western Union pigtail splice, 2-8
- wing walls, 4-24