List of Figures

Page

Figure 1-1. *TNT block demolition charges* 1-5
Figure 1-2. *M112 block demolition charge* 1-6
Figure 1-3. *M118 block demolition charge* 1-6
Figure 1-4. *M186 roll demolition charge* 1-7
Figure 1-5. *Forty-pound, ammonium-nitrate cratering charge* 1-8
Figure 1-6. *M1 military dynamite* 1-8
Figure 1-7. *Shaped charges* 1-9
Figure 1-8. *M183 demolition charge assembly* 1-11
Figure 1-9. *M1A2 Bangalore torpedo* 1-12
Figure 1-10. *M180 demolition kit assembly* 1-13
Figure 1-11. *M700 time fuse* 1-14
Figure 1-12. *Safety fuse* 1-14
Figure 1-13. *Detonating cord* 1-15
Figure 1-14. *Electric blasting caps* 1-16
Figure 1-15. *Nonelectric blasting cap* 1-16
Figure 1-16. *M1A4 priming adapter* 1-17
Figure 1-17. *M8 blasting cap holder* 1-17
Figure 1-18. *M1 detonating-cord clip* 1-17
Figure 1-19. *Supplementary adhesive* 1-18
Figure 1-20. *M2 cap crimper* 1-19
Figure 1-21. *M51 blasting-cap test set* 1-19
Figure 1-22. *M32/M34 blasting machine* 1-20
Figure 1-23. *Firing-wire reel* 1-21
Figure 1-24. *M60 fuze igniter* 1-22
Figure 2-1. *Nonelectric initiation set* 2-1
Figure 2-2. *Cutting time fuse* 2-2

Page

Figure 2-31. *Square-knot connections* 2-25
Figure 2-32. *Girth hitch with an extra turn* 2-26
Figure 2-33. *Ring mains* 2-27
Figure 2-34. *Line main with branch lines* 2-27
Figure 2-35. *Junction box* 2-27
Figure 2-36. *Attaching blasting caps to a line main* 2-28
Figure 3-1. *Direction of initiation* 3-3
Figure 3-2. *Timber-cutting charge (internal)* 3-5
Figure 3-3. *Timber-cutting charge (external)* 3-5
Figure 3-4. *Timber-cutting ring charge* 3-6
Figure 3-5. *Cutting a timber pile underwater* 3-7
Figure 3-6. *Abatis* 3-7
Figure 3-7. *Placement of charges on steel members* 3-9
Figure 3-8. *Charge placement on chains* 3-11
Figure 3-9. *Charge placement on steel cable (3 inches or larger)* 3-11
Figure 3-10. *Charge placement on railroad rails* 3-12
Figure 3-11. *Ribbon charge* 3-13
Figure 3-12. *Placement of ribbon charge on structual steel* 3-13
Figure 3-13. *Saddle charge* 3-14
Figure 3-14. *Diamond charge* 3-15
Figure 3-15. *Tamping factor (C) for breaching charges* 3-16
Figure 3-16. *Charge placement* 3-19
Figure 3-17. *Counterforce charge* 3-20
Figure 3-18. *Placing charges for a hasty crater* 3-22
Figure 3-19. *Placing charges for a deliberate crater* 3-23
Figure 3-20. *Relieved-face crater* 3-24
Figure 3-21. *Single-line method of ditching* 3-26
Figure 3-22. *Cross-section method of ditching* 3-27

Page

Figure 2-3. *Crimping a blasting cap onto fuse* 2-4
Figure 2-4. *Lighting time fuse with a match* 2-5
Figure 2-5. *Electric initiation set* 2-5
Figure 2-6. *Testing firing wire on the reel* 2-6
Figure 2-7. *Series circuit* 2-8
Figure 2-8. *Western Union pigtail splice* 2-8
Figure 2-9. *Two-wire splice* 2-10
Figure 2-10. *Nonelectric priming with adapter* 2-11
Figure 2-11. *Nonelectric priming without adapter* 2-11
Figure 2-12. *Electric priming with adapter* 2-12
Figure 2-13. *Electric priming without adapter* 2-12
Figure 2-14. *Priming TNT with detonating cord* 2-13
Figure 2-15. *Priming plastic explosives with detonating cord* 2-14
Figure 2-16. *Priming sheet explosives* 2-16
Figure 2-17. *Nonelectric end priming of dynamite* 2-17
Figure 2-18. *Nonelectric side priming of dynamite* 2-18
Figure 2-19. *Electric priming of dynamite* 2-19
Figure 2-20. *Priming dynamite with detonating cord* 2-19
Figure 2-21. *Priming ammonium-nitrate cratering charge* 2-20
Figure 2-22. *Priming shaped charges* 2-21
Figure 2-23. *Priming a Bangalore torpedo with a blasting cap* 2-22
Figure 2-24. *Priming a Bangalore torpedo with detonating cord* 2-22
Figure 2-25. *Single-firing system (single-initiated, single-fired, single-primed)* 2-23
Figure 2-26. *Single-firing system (dual-initiated, single-fired, single-primed* 2-23
Figure 2-27. *Dual-firing system (dual-installed, dual-fired, dual-primed)* 2-24
Figure 2-28. *Dual-primed charge* 2-24
Figure 2-29. *Dual-firing system (using a bridge as a possible target)* 2-24
Figure 2-30. *Attaching blasting cap to detonating cord* 2-25

Page

Figure 4-25. *Cantilever bridges* 4-16
Figure 4-26. *Cantilever and suspended span bridges* 4-16
Figure 4-27. *Steel-beam bridge without short side span* 4-16
Figure 4-28. *Steel-beam bridge with short side span* 4-17
Figure 4-29. *Steel-beam bridge with short side span* 4-17
Figure 4-30. *Typical portal bridges* 4-17
Figure 4-31. *Arch bridges* 4-18
Figure 4-32. *Masonry arch bridge* 4-18
Figure 4-33. *Measurements of continuous bridges* 4-19
Figure 4-34. *Suspension-span bridge* 4-20
Figure 4-35. *Swing-span truss bridge* 4-21
Figure 4-36. *Double-leaf bascule bridge* 4-22
Figure 4-37. *Single-leaf bascule bridge* 4-22
Figure 4-38. *Vertical-lift bridge* 4-22
Figure 4-39. *Floating bridge* 4-23
Figure 4-40. *Bailey bridge demolition* 4-23
Figure 4-41. *Abutment destruction (5 feet thick or less)* 4-25
Figure 4-42. *Abutment destruction (over 5 feet thick)* 4-25
Figure 4-43. *Placing charges on intermediate supports* 4-26
Figure D-1. *Improvised shaped charge* D-1
Figure D-2. *Platter charge* D-2
Figure D-3. *Grapeshot charge* D-3
Figure D-4. *Detonating-cord wick* D-5
Figure D-4. *Expedient flame fougasse* D-6
Figure F-1. *Sample target folder* F-4
Figure F-2. *Sample DA Form 2203-R* F-38

Page

Figure 3-23. *Stump blasting* 3-28
Figure 3-24. *Boulder blasting* 3-29
Figure 3-25. *Borehole layouts* 3-30
Figure 3-26. *Placing charges on the AFV* 3-33
Figure 4-1. *Use of debris* 4-1
Figure 4-2. *Simply supported bridges* 4-2
Figure 4-3. *Improper collapse mechanism and hinges* 4-3
Figure 4-4. *Jammed bridge span* 4-3
Figure 4-5. *See-saw collapse mechanism* 4-4
Figure 4-6. *Beam collapse mechanism* 4-4
Figure 4-7. *Member without support collapse mechanism* 4-4
Figure 4-8. *Cantilever effect* 4-4
Figure 4-9. *Causes of jamming* 4-5
Figure 4-10. *Three-pin arch effect* 4-5
Figure 4-11. *Cranked-beam effect* 4-6
Figure 4-12. *Effect of concrete charge* 4-7
Figure 4-13. *Span differences* 4-9
Figure 4-14. *Categorization chart for simply supported bridges* 4-10
Figure 4-15. *Typical cross sections of steel-beam bridges* 4-10
Figure 4-16. *Side elevation of steel-truss bridges* 4-11
Figure 4-17. *Midspan, cross-sectional views of typical concrete bridges* 4-11
Figure 4-18. *Normal bowstring bridge* 4-12
Figure 4-19. *Bowstring reinforced-truss bridge* 4-12
Figure 4-20. *Arch bridge (pseudo-bowstring bridge)* 4-12
Figure 4-21. *Measurements of simply supported spans* 4-13
Figure 4-22. *Line of attack* 4-13
Figure 4-23. *Location of angled charge* 4-14
Figure 4-24. *Continuous bridges categorization chart* 4-15